

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: Martin et al.
Patent No.: 7,182,125 B2
Issued: 02/27/2007 Conf. No.: 1027
For: LOW PROFILE HEAT EXCHANGER WITH NOTCHED
TURBULIZER
Docket No.: 60,680-0771 Customer No.: 26127

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT

Dear Commissioner:

The assignee of the above referenced patent respectfully requests that a Certificate of Correction be granted in the above-identified patent. Attached is Form PTO-1050.

The errors that appear in the printed patent are as follows:

Column 12, line 11, please delete “than” and insert –that--.

CERTIFICATE OF TRANSMISSION VIA EFS-WEB

I hereby certify that this paper is being transmitted to the United States Patent and Trademark Office via the Office’s electronic filing system EFS-Web addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the 27th day of July, 2007.

/Alesia A. Mungons/
Alesia A. Mungons

Patent No. 7,182,125 B2
Issued: 02/27/2007
Docket No. 60,680-0771

It is respectfully submitted that these mistakes were due to PTO error and not Applicants' or the assignee's error and, accordingly, there is no fee due.

Respectfully submitted,

Date: July 27, 2007

By: /Adam B. Strauss/
Adam B. Strauss, Reg. No. 43,167
Dykema Gossett PLLC
39577 Woodward Avenue, Suite 300
Bloomfield Hills, MI 48304
(248) 203-0764
ipmail@dykema.com
Customer No. 26127

BH01\781769.1
ID\ABST

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : **7,182,125 B2**

DATED : **Feb. 27, 2007**

INVENTOR(S) : **Martin et al.**

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 12, line 11, please delete "than" and insert --that--.

MAILING ADDRESS OF SENDER (Please do not use customer number

Adam B. Strauss
Reg. No. 43,167
Dykema Gossett PLLC
39577 Woodward Avenue, Suite 300
Bloomfield Hills, MI 48304

PATENT NO. **7,182,125 B2**

No. of additional copies

